



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

Cofc

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM



Patent Docket No. 16497.5.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Ginn et al.

Serial No.: 10/669,313

Filed: Sep. 23, 2003

For: APPARATUS AND METHODS FOR
POSITIONING A VASCULAR SHEATH

Examiner: Jessica R. Baxter

Patent No.: 7,144,411 B2

Issue Date: Dec. 5, 2006

Art Unit
3733

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
APR 30 2008
of Correction

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a Form PTO-2038 or Check No. 157597 in the amount of \$100.00 to cover the costs for issuance of this certificate.

04/28/2008 SSESHE1 00000041 7144411

01 FC:1811

100.00 OP

RECEIVED-USPTO
Patent Publication

APR 30 2008

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 18 day of April, 2008

Respectfully submitted,




Fraser D. Roy
Attorney for Patentee
Registration No. 45,666
Customer No. 022913

FDR:jsb
Docket No. 16497.5.1
PR0000002825V001

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 24 day of April, 2008.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Form PTO-2038 or Check No. 157517 for \$100.00

RECEIVED-USPTO
Patent Publication

APR 30 2008



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM



Patent Docket No. 16497.5.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Ginn et al.

Serial No.: 10/669,313

Filed: Sep. 23, 2003

For: APPARATUS AND METHODS FOR
POSITIONING A VASCULAR SHEATH

Examiner: Jessica R. Baxter

Patent No.: 7,144,411 B2

Issue Date: Dec. 5, 2006

Art Unit
3733

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a Form PTO-2038 or Check No. 157597 in the amount of \$100.00 to cover the costs for issuance of this certificate.

RECEIVED-USPTO
Patent Publication

APR 30 2008

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 18 day of April, 2008

Respectfully submitted,




Fraser D. Roy
Attorney for Patentee
Registration No. 45,666
Customer No. 022913

FDR:jsb
Docket No. 16497.5.1
PR0000002825V001

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 24 day of April, 2008.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Form PTO-2038 or Check No. 157517 for \$100.00

RECEIVED-USPTO
FROM: Petitioner

APR 30 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,144,411 B2

Page 1 of 1

APPLICATION NO. : 10/669,313

ISSUE DATE : Dec. 5, 2006

INVENTOR(S) : Ginn et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7

Line 59, change "38" to --138--

Column 8

Line 40, after "214", change "my" to --may--

Column 9

Line 40, change "250" to --350--

Column 11

Line 62, change "514" to --614--

Line 67, change "514" to --614--

Column 12

Line 26, change "510" to --610--

Line 27, change "512" to --612--

Column 13

Line 39, change "FIG. 20" to --FIGS. 20A-20B--

Column 14

Lines 62-63, change "device port 832 or side port 822" to --a device port or a side port--

RECEIVED-USPTO
Patent Publication

APR 30 2008

MAILING ADDRESS OF SENDER (Please do not use customer number)

Fraser D. Roy, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,144,411 B2

Page 1 of 1

APPLICATION NO. : 10/669,313

ISSUE DATE : Dec. 5, 2006

INVENTOR(S) : Ginn et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7

Line 59, change "38" to --138--

Column 8

Line 40, after "214", change "my" to --may--

Column 9

Line 40, change "250" to --350--

Column 11

Line 62, change "514" to --614--

Line 67, change "514" to --614--

Column 12

Line 26, change "510" to --610--

Line 27, change "512" to --612--

Column 13

Line 39, change "FIG. 20" to --FIGS. 20A-20B--

Column 14

Lines 62-63, change "device port 832 or side port 822" to --a device port or a side port--

MAILING ADDRESS OF SENDER (Please do not use customer number)

Fraser D. Roy, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

RECEIVED USPTO
Patent Publication

APR 30 2008

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.